Concrete Crushing Range



Made In Italy



430 DE T34 Concrete Crusher



The model 430 DE T34 concrete crusher is designed to suit smaller excavators, being most useful in demolition applications were smaller excavators can be used in confined spaces with limited access. The unit allows the crushing of concrete and masonry walls up to 430mm in thickness, which allows demolition to be accomplished with little noise, dust and vibration to the work areas environment.

This unit is most suited for operation in urban areas were authorities can require this system for environmental purposes with less pollution and noise factors. The 430 DE T34 can be fitted to any excavator as it can be supplied with the appropriate fittings to suit the customers desired model of excavator. The 430 DE T34 weighs in at just 175kgs and features a patented Jaws operating system.

This crusher has the capacity to also cut 28mm rebar rod due to its well designed inbuilt cutter. This unit is precision manufactured and designed in Italy by Edilgrappa.

Specifications	Model 430 DE T34
Maximum Material Thickness	Concrete - 430mm
	Rebar - 28mm
Maximum Operating Pressure	200 Bar
Cutting Power	920 kN
Dimensions	748 x 728 x 322mm
Rotation Angle (Free Wheel)	360°
Maximum Jaw Opening	431mm
Jaws Depth	185mm
Weight	175Kgs

FOR PROFESSIONAL THAT NEED TO CUT HIGH TENSILE CABLE



5/9A Lyell Street Mittagong NSW 2575 Australia T: +61 2 4871 2121 F: +61 2 4871 2020 E: info@stainelec.com.au