

## M-40LB Cordless Hydraulic Strut Cutter



Designed to cut various strut material with ease. The M-40LB metal strut cutters are OH&S compliant, protecting the user from common dangers found in alternative cutting methods such as abrasive and saw cutting applications. Boasts a portable & durable design for use in cordless applications

M-40LB strut cutters are suitable for use in electrical, air conditioning and plumbing industries as well as in plant and engineering, and various on-site applications. With no waste, mess or deburring. The M-40LB offers high efficiency and safety in on-site requirements for cutting strut material. Dual cutting cassettes are available per customer request for multiple size material.

### Key features of M-40LB metal strut cutters:

- Hydraulic power system driven by a 18 Volt Hitachi Lithium Ion Battery & Motor
- Motor casing can be adjusted to 3 different working positions to offer more flexibility when cutting different sections of material
- Cutting blades housed within the cassette for each type of strut material section
- Cassette can be easily changed within a few seconds to suit the size of the section required to be cut
- Enclosed cutter blades prevent injury to the operator during operation
- Ideally used for on-site & factory based operations with its powerfully convenient cordless design
- Features a maximum cutting force output of 9.5 Ton
- Dual profile cutting cassettes are available per customer request

**PRECISION DESIGNED & MANUFACTURED IN JAPAN**




**Stainelec**  
www.stainelec.com.au

5/9A Lyell Street  
Mittagong NSW 2575  
Australia

T: +61 2 4871 2121  
F: +61 2 4871 2020  
E: info@stainelec.com.au

## IDEALLY USED FOR FACTORY & ON-SITE APPLICATIONS



**Single Strut Cutting Profile**

**Dual Strut Cutting Profile**

<p>21 x 41 x 21mm (7/8" x 1<sup>5</sup>/8" x 7/8")</p>	<p>41 x 41 x 41mm (1<sup>5</sup>/8" x 1<sup>5</sup>/8" x 1<sup>5</sup>/8")</p>
--	--

<p>21 x 41 x 21mm &amp; 41 x 41 x 41mm</p>
--

**Specifications**

**M-40LB Portable Hydraulic Strut Cutter**

<b>Motor</b>	Hitachi 18Volt Lithium Ion Battery
<b>Maximum Thickness Material</b>	2.5mm Mild Steel & 2mm Stainless Steel
<b>Hydraulic Output Pressure</b>	40MPa (400Kgs / cm <sup>2</sup> )
<b>Maximum Cutting Force</b>	9.5 Ton
<b>Cutting Speed</b>	3 Seconds
<b>Dimensions L x W x H</b>	256 x 299 x 125
<b>Weight</b>	8.5Kgs

